

	PART NUMBER	DESCRIPTION
	D125-1000-F Detented (stable) lever D125-2000-F Spring return to neutral	Pneumatic Hoist Control Valve Similar to the D126 described below, but without the PTO control section. <i>(Use optional adaptor plate 'E01' to mount on APT Consoles).</i>
	D126-1000-F <u>with</u> PTO Kickout, <u>w/o</u> Switch D126-1005-F <u>w/o</u> PTO Kickout, <u>w/o</u> Switch D126-1060-F <u>with</u> PTO Kickout, <u>with</u> Switch D126-1065-F <u>w/o</u> PTO Kickout, <u>with</u> Switch	Combined PTO & Hoist Pneumatic Control Valve Excellent feathering capability for precise hoist lowering. Easy to mount under the dashboard or through a panel because its body is flanged on two sides. Five 1/4" push-in tube fittings are pre-installed. The optional kick-out function automatically takes the PTO out of gears when the hoist is lowered. The optional pressure switch is used to work the indicator lamp. A spring return handle, or <i>dead man control</i> is optional (call for details). <i>(Use optional kit PSC-1/4 to power a HotShift PTO or Clutch Pump).</i>
	D135-1262 Hoist control only, <u>Detented</u> D135-2262 Hoist control only, <u>Spring Return</u>	Compact Pneumatic Hoist Control Valve (no PTO) With feathering of the 'lowering' function. Five 1/4" push-in tube fittings and a switch for the PTO indicator lamp are built-in. Adaptor top plates are available to install these valves on any APT console.
	D137-1262 <u>with</u> PTO Kickout, <u>Detented</u> D137-2262 <u>W</u> PTO Kickout, <u>Spring Return</u> D137-1267 <u>w/o</u> PTO Kickout, <u>Detented</u> D137-2267 <u>w/o</u> PTO Kickout, <u>Spring Return</u>	Compact PTO & Hoist Pneumatic Control Valve At approximately 3" square, this control leaves extra space in the console to fit more accessories. Five 1/4" push-in tube fittings and a switch for the PTO indicator lamp are built-in. Adaptor top plates are available to install these valves on any APT console.
	D138-0001-F Hoist Valve, Detented D138-0201-F Hoist Valve, Spring Return D138-0011-F PTO Valve section D138-0013-F Truck / Pup Selector D138-0021-F Tailgate, Single or Double Acting	Stackable Metering Control Valve These valves offer an excellent feathering capability for precise control of snowplow or dump truck pneumatic functions. You can build a stack of up to 9 valves. Adaptor plates for APT consoles are available to fit these valves with extra space for switches and other controls. The top plates will also fit the new line of Pedestal Consoles.
	D145-2000 1/8" tube fittings included Spring return to neutral	Miniature Pneumatic Hoist Control Valve This a very compact feathering hoist valve with neutral lockout.

	PART NUMBER	DESCRIPTION
	3200-1A with N.O. pressure switch 3201-1A with N.C. pressure switch 3202-1A without pressure switch	Compact Toggle Valve 3-way/2-position with integral 1/4" tube fittings. Built-in pressure switch is really convenient to use with an indicator lamp. Ideal for PTO, single acting tailgate, pup/truck selector, etc. Also great for remote operation of a pilot operated double-acting tailgate valve.
	ARG20-N02GIH 1/4 NPT ports	Pressure Regulator with integral Gauge A real space saver for lift-axle controls. Submit your application info to Archimedes regarding safety regulations.
	MSV8652-02NTB 1/4 NPT ports <i>(single or double acting)</i>	Tailgate Valve 5-way/2-pos. - Rotary Actuator A nice tailgate control valve for applications requiring high flow (1 CV). Fits in a 30mm (1-3/16") hole in the mounting panel.
	MSV8652-02NPH 1/4 NPT ports <i>(single or double acting)</i>	Tailgate Valve 5-way/2-pos. - Push-Pull This is our most popular tailgate control valve. High flow capacity (1 CV).
	PU520-02S 1/4 NPT ports <i>(single or double acting)</i>	Solenoid Valve 5-way/2-pos. - 12V DC Great for tailgate or PTO. High flow capacity (1 CV).
	SK520-02NS 1/4 NPT ports SK520-03NS 3/8 NPT ports	Tailgate Valve 5-way/2-pos. - Air Piloted These high flow, single or double acting valves can be mounted near or on the tailgate cylinder, and operated by the signal from a miniature toggle valve in the console or the dashboard. This saves space in the cabin, where it counts.
	MSV30132-01NP 1/8 NPT ports	Limit Valve 3-way/2-pos. 1/8 NPT Installed behind the base of the hoist, this device will bring the pump control back to neutral when the dump body is all the way up, to protect the expensive telescopic cylinder.
	MSV30132-01NV 3-way/2-pos. <i>(single acting)</i> MSV40152-01NV 5-way/2-pos. <i>(double acting)</i>	Toggle Valve 1/8 NPT These miniature valves fit neatly in our consoles to control the tailgate, the truck /pup selector valve, the tarp arms locking mechanism or any other pneumatic function.

	PART NUMBER	DESCRIPTION
	APS18 12V DC - 1/8 NPT	Air Pressure Switch Normally closed contacts. Typically used to activate a pilot light when air pressure is present in the circuit.
	PSC-1/4 12 V DC – ¼ tube	Air Pressure Switch Kit Connect this kit to the PTO outlet of the D126 or D137 Valve to power a Hot-Shift PTO or a Clutch Pump / Dry-Valve Pump.
	TGA-1 Fits 3200-1A and 3202-1A TGA-2 Fits 3201-1A and 3202-1A TGA-3 Fits most valves & switches	Toggle Guard for 3200 and MSV series valve These aluminum switch guards prevent accidental actuation or breakage of the miniature toggle valves. They will also fit most electrical switches with 15/32” dia. panel mount. They have a flat in the hole for positioning the valve. For the 3202-1A valve, use TGA-1 for normally closed function or TGA-2 for normally open. TGA-3 has no flat (straight round hole).
	TGA-4 Fits 3200, 3201 and 3202-1A TGA-5 Fits any toggle valve or switch	Toggle Guard for 3200 series valve Similar to TGA-1 but it is symmetrical to protect both the On and the Off positions. TGA-5 has no flat (straight round hole)
	TGA-6-xx Fits most toggle valves/switches <i>Custom engraving available!</i>	Toggle Guard for 3200 series valve Engraved with your choice of standard functions such as PTO in/out, PUMP on/off, TAILGATE open/closed, SELECTOR truck/pup, TARP roll/extend. Can also be engraved to your own specifications. Call for more details.
	1269221 12 V DC – Red 3/8” lens	L.E.D. Indicator Lamp Bright, long lasting diode. Conveniently fits in 23/64” hole. Original replacement for D126 Valves. Works well with 3200-1A, 3201-1A and APS18 switches.
	APH-C3504-DM Fits C101 / C102 and many brands of compatible dump pumps.	Air Shift Cylinder Kit for C101/C102 Dump Pumps Providing feathering hoist lowering control similar to most other kits on the market (controlled action between 25 and 45 PSI). Fittings sold separately.